

D E S C R I P T I O N


PHOTON XT RETICLE CATALOGUE



www.yukonopticsglobal.com


ENGLISH / РУССКИЙ

X50i




MARK DIMENSIONS	MOA	CM @ 100M
Width of the mark	144	419
Height of the mark	144	419
Thickness of the lines of the central cross	0.75	2
Distance from the center of the mark to thickenings on vertical and horizontal lines (A)	12	35
Sizes of the thickenings on the lines:		
- length (B)	56	163
- width (C)	2.25	7

X56i




MARK DIMENSIONS	MOA	CM @ 100M
Width of the mark	50	145
Height of the mark	50	145
Width of the central cross	1.35	4
Height of the central cross	1.35	4
Thickness of the lines of the central cross	0.75	2
Break between the edges of central cross and sight mark lines (A)	4.5	13
Dimensions of the thickenings on the lines:		
- length (B)	6.75	20
- width (C)	2.25	7

T53i




MARK DIMENSIONS	MOA	CM @ 100M
Width of the mark	50	145
Height of the mark	50	145
Width of the central cross	1.35	4
Height of the central cross	1.35	4
Thickness of the lines of the central cross	0.75	2
Break between the edges of central cross and sight mark lines (A)	4.5	13
Dimensions of the thickenings on the lines:		
- length (B)	6.75	20
- width (C)	2.25	7

M54i




MARK DIMENSIONS	MOA	CM @ 100M
Width of the mark	144	419
Height of the mark	144	419
Thickness of the lines of the central cross	0.75	2
Distance between the strokes (A)	3.5	10
Distance between the center of the mark to the thickenings on vertical and horizontal lines (B)	17.5	51
Dimensions of the thickenings on the lines:		
- length (C)	56	163
- width (D)	2.25	7
Dimension of the stroke on the lines:		
	0.75	2
	2.25	7

XBow300




MARK DIMENSIONS		MOA	CM @ 100M
Width of the mark		144	419
Height of the mark			
- upper stroke		72	209
- lower stroke		81	236
Thickness of the lines of the central cross		0.75	2
Distance between the mark and the first right stroke (A)		15.63	45
Distance between the mark and the first left stroke (B)		18.13	53
Distance between the mark and the second right stroke (C)		33.05	96
Distance between the mark and the second left stroke (D)		38.1	111
Distance between the mark and the third right stroke (E)		51.42	150
Distance between the mark and the third left stroke (F)		59.2	172
Distance between the mark and the forth right stroke (G)		70.62	205
Distance between the mark and the forth left stroke (H)		81.1	236
First stroke dimension			
- horizontal		1.75	5
- vertical		0.75	2
Second stroke dimension			
- horizontal		2	6
- vertical		0.75	2
Third stroke dimension			
- horizontal		2,5	7
- vertical		0.75	2
Forth stroke dimension			
- horizontal		2.75	8
- vertical		0.75	2

XBow350




MARK DIMENSIONS		MOA	CM @ 100M
Width of the mark		144	419
Height of the mark			
- upper stroke		72	209
- lower stroke		58	169
Thickness of the lines of the central cross		0.75	2
Distance between the mark and the first right stroke (A)		11.06	32
Distance between the mark and the first left stroke (B)		12.76	37
Distance between the mark and the second right stroke (C)		23.83	69
Distance between the mark and the second left stroke (D)		27.05	79
Distance between the mark and the third right stroke (E)		37.3	109
Distance between the mark and the third left stroke (F)		42.3	123
Distance between the mark and the forth right stroke (G)		51.475	150
Distance between the mark and the forth left stroke (H)		58.16	169
First stroke dimension			
- horizontal		1.75	5
- vertical		0.75	2
Second stroke dimension			
- horizontal		2	6
- vertical		0.75	2
Third stroke dimension			
- horizontal		2.5	7
- vertical		0.75	2
Forth stroke dimension			
- horizontal		2.75	8
- vertical		0.75	2

X50i




РАЗМЕРЫ МЕТКИ	MOA	см @ 100м
Ширина метки	144	419
Высота метки	144	419
Толщина линий центрального перекрестия	0,75	2
Расстояние от центра метки до утолщений на вертикальных и горизонтальных линиях (A)	12	35
Размеры утолщений на линиях:		
- длина (B)	56	163
- толщина (C)	2,25	7

X56i



РАЗМЕРЫ МЕТКИ	MOA	см @ 100м
Ширина метки	50	145
Высота метки	50	145
Ширина центрального перекрестья	1,35	4
Высота центрального перекрестья	1,35	4
Толщина линий центрального перекрестья	0,75	2
Разрыв между краями центрального перекрестья и линиями прицельной метки (A)	4,5	13
Размеры утолщений на линиях:		
- длина (B)	6,75	20
- толщина (C)	2,25	7


T53i



РАЗМЕРЫ МЕТКИ	MOA	см @ 100м
Ширина метки	50	145
Высота метки	50	145
Ширина центрального перекрестья	1,35	4
Высота центрального перекрестья	1,35	4
Толщина линий центрального перекрестья	0,75	2
Разрыв между краями центрального перекрестья и линиями прицельной метки (A)	4,5	13
Размеры утолщений на линиях:		
- длина (B)	6,75	20
- толщина (C)	2,25	7

РУССКИЙ


M54i



РАЗМЕРЫ МЕТКИ	МОА	см @ 100м
Ширина метки	144	419
Высота метки	144	419
Толщина линий центрального перекрестия	0,75	2
Расстояние между штрихами (A)	3,5	10
Расстояние от центра метки до утолщений на вертикальных и горизонтальных линиях (B)	17,5	51
Размеры утолщений на линиях:		
- длина (C)	56	163
- толщина (D)	2,25	7
Размер штриха на линиях:		
	0,75	2
	2,25	7


РУССКИЙ

XBow300



РАЗМЕРЫ МЕТКИ	MOA	см @ 100м
Ширина метки	144	419
Высота метки		
- верхнего штриха	72	209
- нижнего штриха	81	236
Толщина линий центрального перекрестия	0,75	2
Расстояние от метки до первого правого штриха (A)	15,63	45
Расстояние от метки до первого левого штриха (B)	18,13	53
Расстояние от метки до второго правого штриха (C)	33,05	96
Расстояние от метки до второго левого штриха (D)	38,1	111
Расстояние от метки до третьего правого штриха (E)	51,42	150
Расстояние от метки до третьего левого штриха (F)	59,2	172
Расстояние от метки до четвертого правого штриха (G)	70,62	205
Расстояние от метки до четвертого левого штриха (H)	81,1	236
Размер первого штриха		
- по горизонтали	1,75	5
- по вертикали	0,75	2
Размер второго штриха		
- по горизонтали	2	6
- по вертикали	0,75	2
Размер третьего штриха		
- по горизонтали	2,5	7
- по вертикали	0,75	2
Размер четвертого штриха		
- по горизонтали	2,75	8
- по вертикали	0,75	2

XBow350



РАЗМЕРЫ МЕТКИ	MOA	см @ 100м
Ширина метки	144	419
Высота метки		
- верхнего штриха	72	209
- нижнего штриха	58	169
Толщина линий центрального перекрестия	0,75	2
Расстояние от метки до первого правого штриха (A)	11,06	32
Расстояние от метки до первого левого штриха (B)	12,76	37
Расстояние от метки до второго правого штриха (C)	23,83	69
Расстояние от метки до второго левого штриха (D)	27,05	79
Расстояние от метки до третьего правого штриха (E)	37,3	109
Расстояние от метки до третьего левого штриха (F)	42,3	123
Расстояние от метки до четвертого правого штриха (G)	51,475	150
Расстояние от метки до четвертого левого штриха (H)	58,16	169
Размер первого штриха		
- по горизонтали	1,75	5
- по вертикали	0,75	2
Размер второго штриха		
- по горизонтали	2	6
- по вертикали	0,75	2
Размер третьего штриха		
- по горизонтали	2,5	7
- по вертикали	0,75	2
Размер четвертого штриха		
- по горизонтали	2,75	8
- по вертикали	0,75	2

РУССКИЙ